







FRONT END ASSY AMB-023





FM AM IF ASSY AWE-055



NOTE :

RESISTORS
IN OHM, K Ω , $\pm 5\%$ TOLERANCE UNLESS
OTHERWISE NOTED. K: K Ω . M: M Ω .

CAPACITORS
IN μ F UNLESS OTHERWISE NOTED.
P : pF

V : DC VOLTAGE
 \leftarrow m A : DC CURRENT
 \leftarrow V : SIGNAL VOLTAGE AT 100% MOD.

SWITCHES

S₁ : FUNCTION


1. AM
2. FM AUTO
3. FM MONO
4. REC LEVEL CHECK

S₂ : MUTING
OFF - 1 - 2

S₃ : MPX NOISE FILTER
OFF - ON

S₄ : POWER

S₅ : DE-EMPHASIS
75 μ s - 25 μ s



AF OSC ASSY AWK - 040

- S₁ : MUTING
OFF - 1 - 2
- S₂ : MPX NOISE FILTER
OFF - ON
- S₃ : POWER
- S₄ : DE - EMPHASIS
75μs - 25μs

FM MULTIPATH
 HORIZ. 4CH - MPX OUTPUT 400 mV
 VERT. 400 mV

OUTPUT LEVEL VOLUME
 100K x2

OUTPUT
 LEFT 1 FIXED 50 mV
 RIGHT 1 FIXED 50 mV
 LEFT 1 VARIABLE 200 mV
 RIGHT 1 VARIABLE 200 mV